

Engine Series 发动机系列



YKL170F-1



YKL170F-2



YKL170F-3

技术参数/Technical Parameter

型号 Model	YKL170F-1	YKL170F-2	YKL170F-3
发动机类型/Engine Type	Forced air-cooled, 4-stroke,OHV	Forced air-cooled, 4-stroke,OHV	Forced air-cooled, 4-stroke,OHV
孔径×行程/Bore×Stroke(mm)	70×54	70×54	70×54
排量/Displacement(cc)	210	210	210
压缩比/Compression Ration	8.5:1	8.5:1	8.5:1
最大输出/Max.Output(Hp/rpm)	7.5/3600	7.5/3600	7.5/3600
最大扭矩/Max.Torque(N.M/rpm)	1.1/2500	1.1/2500	1.1/2500
点火系统/Ignition System	T.C.L	T.C.L	T.C.L
启动系统/Starting System	Recoil Starter (Recoil+Eletric Starter)	Recoil Starter (Recoil+Eletric Starter)	Recoil Starter (Recoil+Eletric Starter)
燃料/Fuel	Unleaded Gasoline	Unleaded Gasoline	Unleaded Gasoline
油箱容量/Fuel Tank Capacity(L)	3.6	3.6	3.6
燃油消耗量/Fuel Consumption(g/Hp.h)	230	230	230
石油/Oil	SAE 10W30 (Above CC grade)	SAE 10W30 (Above CC grade)	SAE 10W30 (Above CC grade)
油容量/Oil capacity(L)	0.6	0.6	0.6
外形尺寸长×宽×高/Overall Dimension L×W×H(mm)	370×310×335 (395×340×350)	370×310×335 (395×340×350)	370×310×335 (395×340×350)
净重/N.W.(kg)	16	16	16



YKL170F-4



YKL170F-5



YKL170F-6



YKL170F-7

技术参数/Technical Parameter

型号 Model	YKL170F-4	YKL170F-5	YKL170F-6	YKL170F-7
发动机类型/Engine Type	Forced air-cooled, 4-stroke,OHV	Forced air-cooled, 4-stroke,OHV	Forced air-cooled, 4-stroke,OHV	Forced air-cooled, 4-stroke,OHV
孔径×行程/Bore×Stroke(mm)	70×54	70×54	70×54	70×54
排量/Displacement(cc)	210	210	210	210
压缩比/Compression Ration	8.5:1	8.5:1	8.5:1	8.5:1
最大输出/Max.Output(Hp/rpm)	7.5/3600	7.5/3600	7.5/3600	7.5/3600
最大扭矩/Max.Torque(N.M/rpm)	1.1/2500	1.1/2500	1.1/2500	1.1/2500
点火系统/Ignition System	T.C.L	T.C.L	T.C.L	T.C.L
启动系统/Starting System	Recoil Starter (Recoil+Eletric Starter)	Recoil Starter (Recoil+Eletric Starter)	Recoil Starter (Recoil+Eletric Starter)	Recoil Starter (Recoil+Eletric Starter)
燃料/Fuel	Unleaded Gasoline	Unleaded Gasoline	Kerosene	Unleaded Gasoline
油箱容量/Fuel Tank Capacity(L)	3.6	3.6	3.6	3.6
燃油消耗量/Fuel Consumption(g/Hp.h)	230	230	230	230
石油/Oil	SAE 10W30 (Above CC grade)	SAE 10W30 (Above CC grade)	SAE 10W30 (Above CC grade)	SAE 10W30 (Above CC grade)
油容量/Oil capacity(L)	0.6	0.6	0.6	0.6
外形尺寸长×宽×高/Overall Dimension L×W×H(mm)	370×310×335 (395×340×350)	370×310×335 (395×340×350)	370×310×335 (395×340×350)	370×310×335 (395×340×350)
净重/N.W.(kg)	16	16	16	16



YKL170F-8



YKL170F-9



YKL170F-10



YKL170F-11

技术参数/Technical Parameter

型号 Model	YKL170F-8	YKL170F-9	YKL170F-10	YKL170F-11
发动机类型/Engine Type	Forced air-cooled, 4-stroke,OHV	Forced air-cooled, 4-stroke,OHV	Forced air-cooled, 4-stroke,OHV	Forced air-cooled, 4-stroke,OHV
孔径×行程/Bore×Stroke(mm)	70×54	70×54	70×54	70×54
排量/Displacement(cc)	210	210	210	210
压缩比/Compression Ration	8.5:1	8.5:1	8.5:1	8.5:1
最大输出/Max.Output(Hp/rpm)	7.5/3600	7.5/3600	7.5/3600	7.5/3600
最大扭矩/Max.Torque(N.M/rpm)	1.1/2500	1.1/2500	1.1/2500	1.1/2500
点火系统/Ignition System	T.C.L	T.C.L	T.C.L	T.C.L
启动系统/Starting System	Recoil Starter (Recoil+Eletric Starter)	Recoil Starter (Recoil+Eletric Starter)	Recoil Starter (Recoil+Eletric Starter)	Recoil Starter (Recoil+Eletric Starter)
燃料/Fuel	Unleaded Gasoline	Unleaded Gasoline	Unleaded Gasoline	Unleaded Gasoline
油箱容量/Fuel Tank Capacity(L)	3.6	3.6	3.6	3.6
燃油消耗量/Fuel Consumption(g/Hp.h)	230	230	230	230
石油/Oil	SAE 10W30 (Above CC grade)	SAE 10W30 (Above CC grade)	SAE 10W30 (Above CC grade)	SAE 10W30 (Above CC grade)
油容量/Oil capacity(L)	0.6	0.6	0.6	0.6
外形尺寸长×宽×高 Overall Dimension L×W×H(mm)	370×310×335 (395×340×350)	370×310×335 (395×340×350)	370×310×335 (395×340×350)	370×310×335 (395×340×350)
净重/N.W.(kg)	16	16	16	16



YKL-W01
泵体盖 Pump cover



YKL-W02
进口水口 Water inlet



YKL-W03
出水口 Water outlet



YKL-W04
皮带轮 pulley



YKL-W05
泵壳 body



YKL-W06
箱盖(低)Crankcase cover(low)



YKL-W07
进口水口接头(铝)
Water in%Ex joint(AL)



YKL-W08
扳手 Spanner



YKL-W09
水泵化油器
Water pump carburetor



YKL-W10
化油器带油杯
Carburetor with fuel cup



YKL-W11
水泵熄火开关(单线)
Stop switch(single)



YKL-W12
水泵熄火开关(双线)
Stop switch(double)



YKL-F13
高压包
High pressure package



YKL-F14
磁飞轮Magnetic flywheel




YKL-W15
曲轴(键槽)
Crankshaft(rectangle)



YKL-W16
曲轴(键纹)
Crankshaft(whorl)



YKL-W17
YP20水封
Water seal(YP20)



YKL-W18
ET1500水封
Water seal(ET1500)

汽油发动机配件
Gasoline Engine Spare Parts
汽油发电机配件
Gasoline generator accessories
汽油水泵配件
Gasoline water pump spare parts



YKL-W19
YP30水封
Water seal(YP30)



YKL-W20
大密封圈
Big seal ring



YKL-W21
进出水口密封圈
Seal ring(inlet/outlet)



YKL-W22
进出水口密封垫
Gasket(water outlet)



YKL-W23
进出水口垫片(拍门)
Gasket(water inlet)



YKL-W24
卡箍 Clip



YKL-W25
动力空滤器
Engine air filter



YKL-W26
水泵消声器(黑)
Muffler(black)



YKL-W27
水泵消声器(镀铬)
Pump muffler(chrome)



YKL-W28
叶轮 Impeller



YKL-W29
涡流壳 Swirling shell



YKL-W30
进出水口接头
Joint(water inlet&outlet)



YKL-W31
扳手(塑)
Spanner(plastic)



YKL-W32
堵塞
Blocker



YKL-W33
进水管网
Water inlet strainer



YKL-W34
水泵调速座
Governor seat(pump)




YKL-W35
水泵油箱总成
Fuel tank assy



YKL-W36
水泵油箱盖(铁)
Fuel tank cover(iron)





YKL-W37
水泵油箱盖(塑料)
Fuel tank cover(plastic)



YKL-W38
水泵滤网
Pump strainer



YKL-W39
出油接口
Fuel control valve



汽油发动机配件
Gasoline Engine Spare Parts

汽油发电机配件
Gasoline generator accessories

汽油水泵配件
Gasoline water pump spare parts



YKL-G75
铁凸起 Iron Camshaft



YKL-G76
尼龙凸轮 Nylon Camshaft



YKL-G77
电瓶12V12AH Storage battery 12V12AH



YKL-G78
电瓶17V12AH Storage battery 17V12AH



YKL-G80
飞轮 Fly wheel



YKL-G81
碳刷 Carbon brush(cream)



YKL-G82
碳刷(黑)Carbon brush(black)



YKL-G83
曲轴油封 Oil seal



YKL-G84
进气门导管油封 Oil seal(intake valve)



YKL-G85
电机支架 Armature seat brush



YKL-G86
电机支架 Armature seat without brush



YKL-G87
电机支架 Armature seat 6203 bearing



YKL-G88
箱盖(高)Crank case cover(high)



YKL-G89
轴承6204 Bearing 6204



YKL-G90
活瓣环 Bearing 6205



YKL-G91
空滤器 Air filter



YKL-G92
空滤器海绵 Air filter sponge



YKL-G93
消音器 Muffler



YKL-G94
消音器罩 Muffler cover



YKL-G95
消音器外罩 2900 Muffler cover



YKL-G96
2900消声器 2900 muffler



YKL-G97
油箱总成 Fuel tank assy



YKL-G98
油箱油标 Fuel meter



YKL-G99
油箱盖 Fuel tank cap



YKL-G100
电压表 Voltmeter



YKL-G101
防震脚 Shockproof foot



YKL-G102
防震脚(中心脚)Shockproof foot(center)



YKL-G103
电动机架脚垫 Foot gasket(Armature seat)



YKL-G104
油泵橡胶垫 Rubber gasket(fuel tank)



YKL-G105
定位销 10*16 Locating dowel 10*16



YKL-G106
定位销 8*14 Pin 8*14



YKL-G107
卷轮(塑)Drum Wheel(plastic)



YKL-G108
卷轮(塑)Drum Wheel(plastic)




YKL-G109
挡块(铁)Bearing plate(iron)



YKL-G110
卷簧 Pawling spring starter



YKL-G111
拉绳 Starter string



YKL-G112
盖盘(铁)Drive plate(iron)



YKL-G113
盖盘(塑料)Drive plate(plastic)



YKL-G114
拉盘配件(塑料)Starter repair kit(plastic)



YKL-G115
拉盘配件(铁)Starter repair kit(iron)



YKL-G116
接线柱 Terminal



YKL-G117
调速弹簧 Spring(governor)


汽油发动机配件
Gasoline Engine Spare Parts

汽油发电机配件
Gasoline generator accessories


汽油水泵配件
Gasoline water pump spare parts



YKL-G118
拉杆弹簧 Spring(pull rod)



YKL-G119
调速器拉杆 Governor pull rod



YKL-G120
摆杆 Governor arm shaft



YKL-G121
电机调速座 Governor seat



YKL-G122
飞轮边罩 Fly wheel side cover



YKL-G123
导风罩 Wide scoop



YKL-G124
调速臂 Speed adjusting arm



YKL-G125
压线板 Pressing line plate



YKL-G126
电启动边罩 Side cover(electric starter)



YKL-G127
冷却风扇(黑) Cooling fan(black)



YKL-G128
冷却风扇(白) Cooling fan(white)



YKL-G129
铜环 Slip ring



YKL-G130
转子 Rotor



YKL-G131
定子 Stator



YKL-G132
法兰螺母 M6 Nut M6



YKL-G133
法兰螺母 M8 Nut M8



YKL-G134
法兰螺母 M14 Nut M14



YKL-G135
法兰螺栓 8*16 Bolt 8*16



YKL-G136
法兰螺栓 6*10 Bolt 6*10



YKL-G137
法兰螺栓 6*12 Bolt 6*12



YKL-G138
法兰螺栓 6*125 Bolt 6*125



YKL-G139
法兰螺栓 6*16 Bolt 6*16



YKL-G140
十字螺丝 5*12 Screw 5*12



YKL-G141
法兰螺栓 6*18 Bolt 6*18



YKL-G142
十字沉头 5*10 Screw 5*10



YKL-G143
十字螺丝 5*16 Screw 5*16



YKL-G144
法兰螺栓 6*22 Bolt 6*22



YKL-G145
法兰螺栓 8*32 Bolt 8*32



YKL-G146
双头螺丝 6*32 Screw 6*32



YKL-G147
双头螺丝 6*110 Screw 6*110



YKL-G148
双头螺丝 6*16 Screw 6*16



YKL-G149
法兰螺栓 8*205 Bolt 8*205



YKL-G150
法兰螺栓 8*55 Bolt 8*55



YKL-G151
钢垫 6*15*0.5 Gasket 6*15*0.5



YKL-G152
加大垫片 6*25 Gasket 6*25