



YKL-22A-1



YKL-22A-2



YKL-22A-5



YKL-22B-1



YKL-22B-2



YKL-22B-3



YKL-22B-5



YKL-22B-6



YKL-22C-1



YKL-22C-2



YKL-22C-3



YKL-22C-5

技术参数/Technical Parameter

型号 Model	YKL-22A-1	YKL-22A-2	YKL-22A-5	YKL-22B-1	YKL-22B-2	YKL-22B-3
转速(R.P.M) Rpm	800-1200	800-1200	800-1200	800-1200	800-1200	800-1200
吸水量(Output) L/min	13-22	13-22	13-22	13-22	13-22	13-22
工作压力(Pressure) Pa	1-4	1-4	1-4	1-4	1-4	1-4
马力(Motor) HP	1.5-2	1.5-2	1.5-2	1.5-2	1.5-2	1.5-2
柱塞数X柱塞径(Plunger no. x Dia.) Pcs X mm	3×22	3×22	3×22	3×22	3×22	3×22
尺码(Dimension) mm	330×280×330	330×280×330	330×280×330	330×280×330	330×280×330	330×280×330
重量(Weight) kgs	7	7	7	7.5	7.5	7.5

技术参数/Technical Parameter

型号 Model	YKL-22B-5	YKL-22B-6	YKL-22C-1	YKL-22C-2	YKL-22C-3	YKL-22C-5
转速(R.P.M) Rpm	800-1200	800-1200	800-1200	800-1200	800-1200	800-1200
吸水量(Output) L/min	13-22	13-22	13-22	13-22	13-22	13-22
工作压力(Pressure) Pa	1-4	1-4	1-4	1-4	1-4	1-4
马力(Motor) HP	1.5-2	1.5-2	1.5-2	1.5-2	1.5-2	1.5-2
柱塞数X柱塞径(Plunger no. x Dia.) Pcs X mm	3×22	3×22	3×22	3×22	3×22	3×22
尺码(Dimension) mm	330×280×330	330×280×330	330×280×330	330×280×330	330×280×330	330×280×330
重量(Weight) kgs	7.5	7.5	7.5	7.5	7.5	7.5



YKL-22C-6



YKL-22D-1



YKL-22D-2



YKL-22D-4



YKL-22D-5



YKL-22D-6

技术参数/Technical Parameter

型号 Model	YKL-22C-6	YKL-22D-1	YKL-22D-2	YKL-22D-4	YKL-22D-5	YKL-22D-6
转速(R.P.M) Rpm	800-1200	800-1200	800-1200	800-1200	800-1200	800-1200
吸水量(Output) L/min	13-22	13-22	13-22	13-22	13-22	13-22
工作压力(Pressure) Pa	1-4	1-4	1-4	1-4	1-4	1-4
马力(Motor) HP	1.5-2	1.5-2	1.5-2	1.5-2	1.5-2	1.5-2
柱塞数X柱塞径(Plunger no. x Dia.) Pcs X mm	3×22	3×22	3×22	3×22	3×22	3×22
尺码(Dimension) mm	330×280×330	330×280×330	330×280×330	330×280×330	330×280×330	330×280×330
重量(Weight) kgs	7.5	7.5	7.5	7.5	7.5	7.5



YKL-30A-1



YKL-30A-2



YKL-30A-5



YKL-30B-1



YKL-30B-2



YKL-30B-3

技术参数/Technical Parameter

型号 Model	YKL-30A-1	YKL-30A-2	YKL-30A-5	YKL-30B-1	YKL-30B-2	YKL-30B-3
转速(R.P.M) Rpm	800-1200	800-1200	800-1200	800-1200	800-1200	800-1200
吸水量(Output) L/min	30-40	30-40	30-40	30-40	30-40	30-40
工作压力(Pressure) Pa	1-4	1-4	1-4	1-4	1-4	1-4
马力(Motor) HP	2-3	2-3	2-3	2-3	2-3	2-3
柱塞数X柱塞径(Plunger no. x Dia.) Pcs X mm	3×30	3×30	3×30	3×30	3×30	3×30
尺码(Dimension) mm	400×300×340	400×300×340	400×300×340	400×300×340	400×300×340	400×300×340
重量(Weight) kgs	9.5	9.5	9.5	10	10	10



YKL-30B-5



YKL-30B-6




YKL-30C-1



YKL-30C-2



YKL-30C-3



YKL-30C-5



YKL-30C-6



YKL-30D-1



YKL-30D-2



YKL-30D-4



YKL-30D-5



YKL-30D-6

技术参数/Technical Parameter

型号 Model	YKL-30B-5	YKL-30B-6	YKL-30C-1	YKL-30C-2	YKL-30C-3	YKL-30C-5
转速(R.P.M) Rpm	800-1200	800-1200	800-1200	800-1200	800-1200	800-1200
吸水量(Output) L/min	30-40	30-40	30-40	30-40	30-40	30-40
工作压力(Pressure) Pa	1-4	1-4	1-4	1-4	1-4	1-4
马力(Motor) HP	2-3	2-3	2-3	2-3	2-3	2-3
柱塞数X柱塞径(Plunger no. x Dia.) Pcs X mm	3×30	3×30	3×30	3×30	3×30	3×30
尺码(Dimension) mm	400×300×340	400×300×340	400×300×340	400×300×340	400×300×340	400×300×340
重量(Weight) kgs	9.5	9.5	9.5	10	10	10

技术参数/Technical Parameter

型号 Model	YKL-30C-6	YKL-30D-1	YKL-30D-2	YKL-30D-4	YKL-30D-5	YKL-30D-6
转速(R.P.M) Rpm	800-1200	800-1200	800-1200	800-1200	800-1200	800-1200
吸水量(Output) L/min	30-40	30-40	30-40	30-40	30-40	30-40
工作压力(Pressure) Pa	1-4	1-4	1-4	1-4	1-4	1-4
马力(Motor) HP	2-3	2-3	2-3	2-3	2-3	2-3
柱塞数X柱塞径(Plunger no. x Dia.) Pcs X mm	3×30	3×30	3×30	3×30	3×30	3×30
尺码(Dimension) mm	400×300×340	400×300×340	400×300×340	400×300×340	400×300×340	400×300×340
重量(Weight) kgs	9.5	9.5	9.5	10	10	10



YKL-20WD-1



YKL-20WD-2



YKL-30WD-1



YKL-30WD-2

技术参数/Technical Parameter

型号 Model	YKL-22WD-1	YKL-22WD-2	YKL-30WD-1	YKL-30WD-2
转速(R.P.M) Rpm	800-1200	800-1200	800-1200	800-1200
吸水量(Output) L/min	13-22	13-22	30-40	30-40
工作压力(Pressure) Pa	1-4	1-4	1-4	1-4
马力(Motor) HP	1.5-2	1.5-2	2-3	2-3
柱塞数X柱塞径(Plunger no. x Dia.) Pcs X mm	3×22	3×22	3×30	3×30
尺码(Dimension) mm	330×280×330	330×280×330	400×300×340	400×300×340
重量(Weight) kgs	7	7	10	10



YKL-80A-1



YKL-80B-1



YKL-90A-1



YKL-120A-1




YKL-150A-1

技术参数/Technical Parameter

型号 Model	YKL-80A-1	YKL-80B-1	YKL-90A-1	YKL-120A-1	YKL-150A-1
转速(R.P.M) Rpm	800-1200	800-1200	800-1200	800-1200	800-1200
吸水量(Output) L/min	65-80	65-80	35-55	103-116	125-160
工作压力(Pressure) Pa	1-4	1-4	1-4	1-4	1-4
马力(Motor) HP	3-7.5	3-7.5	6.5-7	5-7	5-7.5
柱塞数X柱塞径(Plunger no. x Dia.) Pcs X mm	3×34	3×34	4×30×20	3×38	3×38
尺码(Dimension) mm	435×370×450	435×370×450	425×360×445	450×370×580	450×370×580
重量(Weight) kgs	19	19	18.5	30	30



Power Piston Pump
动力柱塞泵



技术参数/Technical Parameter

型号 Model	YKL170F-22B-1
转速(R.P.M) Rpm	800-1200
吸水量(Output) L/min	14-22
工作压力(Pressure) Pa	1-4
马力(Motor) HP	7.5
柱塞数X柱塞径(Plunger no.xDia.) Pcsxmm	3x22
尺码(Dimension) mm	580x405x430
重量(Weight) kgs	45

技术参数/Technical Parameter

型号 Model	YKL-170F-22WD-1
转速(R.P.M) Rpm	800-1200
吸水量(Output) L/min	22-40
工作压力(Pressure) Pa	1-4
马力(Motor) HP	7.5
柱塞数X柱塞径(Plunger no.xDia.) Pcsxmm	3x22
尺码(Dimension) mm	580x405x430
重量(Weight) kgs	42

技术参数/Technical Parameter

型号 Model	YKL-170F-22B-2
转速(R.P.M) Rpm	800-1200
吸水量(Output) L/min	22-40
工作压力(Pressure) Pa	1-4
马力(Motor) HP	7.5
柱塞数X柱塞径(Plunger no.xDia.) Pcsxmm	3x22
尺码(Dimension) mm	580x405x430
重量(Weight) kgs	42



技术参数/Technical Parameter


型号 Model	YKL170F-22C-2
转速(R.P.M) Rpm	800-1200
吸水量(Output) L/min	14-22
工作压力(Pressure) Pa	1-4
马力(Motor) HP	7.5
柱塞数X柱塞径(Plunger no.xDia.) Pcsxmm	3x22
尺码(Dimension) mm	580x405x430
重量(Weight) kgs	45



技术参数/Technical Parameter

型号 Model	YKL-170F-22D-1
转速(R.P.M) Rpm	800-1200
吸水量(Output) L/min	14-22
工作压力(Pressure) Pa	1-4
马力(Motor) HP	7.5
柱塞数X柱塞径(Plunger no.xDia.) Pcsxmm	3x22
尺码(Dimension) mm	850x440x460
重量(Weight) kgs	42






柱塞泵零配件
Spare Parts For Power Sprayer



YKL-P01 9米高压清洗管 9m High Pressure Hose
YKL-P02 曲轴Crank shaft
YKL-P03 担架 Stretcher
YKL-P04 日本式担架 Japanese Stretcher
YKL-P05 三档皮带轮 Pulley-3 Wings
YKL-P06 五档皮带轮 Pulley-5 Wings
YKL-P07 气室 Air Chamber
YKL-P08 加长气室 Longer Air Chamber
YKL-P09 吸水滤网 Filter Net
YKL-P10 1/4球阀开关 1/4 Cock
YKL-P11 1/2开关 1/2 Cock
YKL-P12 1/2本色开关1/2 Cock with original colour
YKL-P13 3/8转1/2开关 3/8 to 1/2 Cock
YKL-P14 3/8开关 3/8 Cock
YKL-P15 1/4直通开关 1/4 Ball Cock
YKL-P16 1/4开关 1/4Cock
YKL-P17 1/4三通开关 1/4 Tri-entrance Cock
YKL-P18 1/2铜接头 1/2 Brass Joint
YKL-P19 3/4转1/2外接 3/4to 1/2 External
YKL-P20 8.5mm双头斜口 8.5mm two way joint
YKL-P21 19mm胶管组件 19mm hose joint
YKL-P22 19mm进水组件 19mm suction joint
YKL-P23 三通 Y-joint
YKL-P24 活动接头 Flexible joint
YKL-P25 8.5mm 胶管组件 8.5mm hose joint
YKL-P26 8.5/10mm 胶管组件 8.5/10mm hose joint
YKL-P27 13mm 胶管组件 13mm hose joint
YKL-P28 8.5mm大活接 8.5mm Hose Big Flexible joint
YKL-P29 8.5mm小活接 8.5mm Hose Small Flexible joint
YKL-P30 曲轴油封 Oil Seal Crank Shaft
YKL-P31 柱塞油封 Oil Seal Plunger
YKL-P32 V型平垫 V-Packing seat
YKL-P33 V型圈 V-Packing
YKL-P34 夹布V型 Special V-packing
YKL-P35 A1016皮带A1016 V-Belt
YKL-P36 挡水环 Breakwater Ring
YKL-P37 阀套 Valve Seal
YKL-P38 黄油宜家 Grease seal
YKL-P39 轴承 Bearing



YKL-P40 汽油机皮带轮 Gasoling Engine Wheel
YKL-P41 不锈钢活门 Stainless Steel Valve
YKL-P42 塑料活门 Plastic Valve
YKL-P43 回水油封 Oil Seal Overflow
YKL-P44 弹簧衬托 Spring Seat
YKL-P45 曲轴箱 Crank Case
YKL-P46 摇管架 Pipe Rack
YKL-P47 螺纹进回水管 Screw Thread Transparent Suction&Overflow Hose
YKL-P48 进回水管 Suction & Overflow Hose
YKL-P49 缸体 Cylinder
YKL-P50 排水室 Discharge Metal
YKL-P51 进水管Suction Metal
YKL-P52 回水体 Overflow Body
YKL-P53 提手调压组件 Partial Regulator
YKL-P54 提水调压总成 Reagulator Assy
YKL-P55 韩式提手调压组件 Partial Regulator-Korea style
YKL-P56 调压管 Regulator Pipe
YKL-P57 压力表 Pressure Gauge
YKL-P58 加油盖 Oil Cover
YKL-P59 轴套 "A" Bearing Cover "A"
YKL-P60 轴套 "B" Bearing Cover "B"
YKL-P61 调压轮 Adusting Pressure Screw
YKL-P62 探油镜 Oil Level
YKL-P63 调压弹簧 Regulator Spring
YKL-P64 平键销 Pin
YKL-P65 后盖垫 Gasket
YKL-P66 放油螺丝 Screw for oil outlet
YKL-P67 阀座 Valve Seat
YKL-P68 弹簧销 Spring Pin
YKL-P69 阀杆 Valve Rod
YKL-P70 压盖 Grand
YKL-P71 黄油环 Grease ring
YKL-P72 钢珠 Ball
YKL-P73 自卸阀杆 Valve Rod for Automatic
YKL-P74 铜油杯 Brass Grease Cup
YKL-P75 铁油杯 Iron Grease Cup
YKL-P76 调压扳手 Regulator Spanner
YKL-P77 连杆 Connecting Rod
YKL-P78 喷密柱塞 Plunger with Ceramic
YKL-P79 柱塞 Plunger
YKL-P80 柱塞销 Plunger Pin
YKL-P81 铁进水斜口 Iron Suction Joint
YKL-P82 铁回水斜口 Iron Overflow Joint
YKL-P83 进水六角螺帽 Suction Hose Nut(Two Wings)
YKL-P84 进水六角螺帽 Suction Hose Nut(HEX)
YKL-P85 回水六角螺帽 Overflow Hose Nut(Two Wings)
YKL-P86 回水六角螺帽 Overflow Hose Nut(HEX)
YKL-P87 泵脚 Bed,Crank Case